

APPENDIX B

ACCEPTABLE PLANT MATERIALS

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|--|-----------------------|------------------|------------------|-----------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|---|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Abies concolor</u> White Fir | E | 30' to 50' | 15' to 30' | Pyramidal | X | X | | | X | | | | X | | | Can be used as a screen between conflicting land uses; doesn't meet other ordinance requirements because of low branch pattern; best used in large areas where there is room for plant development. |
| <u>Acer platanoides</u> Norway Maple 'Columnare' 'Crimson King' 'Summershade' 'Erectum' | D | 40' to 50' | 30' to 40' | | | | | | | | | | | X | X | Very adaptable maple; best reserved for use in large areas; numerous cultivars can be selected for use. |
| <u>*Acer rubrum</u> Red Maple 'Armstrong' 'Autumn Flame' 'Columnar' 'October Glory' 'Red Sunset' 'Scarlet Sentinel' | D | 40'to 60' | 40' to 50' | Oval | | | X | 7'+ | X | X | X | X | | X | X | Excellent tree but requires room to develop; won't tolerate heavily polluted urban streets; numerous cultivars are superior to the straight species and should be considered for use. |
| <u>*Acer negundo</u> Box Elder | D | 30' to 50' | 30' to 50' | | | | | | | | | | | X | X | Excellent tree for streamside plantings. Will naturally seed in if no mow zone is established by stream. |
| <u>*Acer saccharinum</u> Silver Maple | D | 50' to 70' | 40' to 50' | | | | | | | | | | | | X | |
| <u>*Acer saccharum</u> Sugar Maple | D | 60' to 75' | 50' to 60' | Rounded | X | X | X | 7'+ | X | X | X | | | X | X | One of best larger lawn and shade trees; not for downtown or other crowded areas. Possible use in suburban areas as a street tree. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|---|-----------------------|-------------------|------------------|----------------------------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| * <u>Aesculus glabra</u> Ohio Buckeye | D | 40' to 70' | 20' to 40' | Rounded | | | | | | | | | | X | X | |
| <u>Aesculus octandra</u> Yellow Buckeye | D | 60' to 75' | 20' to 40' | Oval | | | | | | | | | | X | X | |
| <u>Alnus glutinosa</u> Black Alder | D | 40' to 60' | 20' to 40' | Pyramidal to Oval | X | X | | | X | X | X | | | X | X | Good tree for any wet or clay soils; tolerates most adverse conditions. Nitrogen fixator. |
| * <u>Betula lenta</u> Sweet Birch | | 40' to 50' | 30' to 40' | Pyramidal To Rounded | | | | | X | X | X | | | X | X | Intolerant of polluted urban areas; best birch for yellow fall color good for large, naturalized areas. |
| * <u>Betula nigra</u> River Birch | D | 40' to 70' | 40' to 60' | Oval to Rounded | | X | | | X | X | X | | | X | X | More adaptable and disease resistant than other birch trees; handsome tree; good for wet areas. |
| * <u>Carpinus betulus</u> European Hornbeam 'Asplenfolia' 'Columnaris' 'Fastigiata' | D | 40' to 60' | 30' to 50' | Oval | | X | | | X | X | X | | | | X | Must be limbed up to meet <i>Landscape Ordinance</i> requirements; outstanding specimen tree; there are many excellent cultivars that deserve use. |
| * <u>Carya cordiformis</u> Bitternut Hickory | D | 50' to 75' | 20' to 30' | Irregular | | | | | | | | | | X | X | Can be planted by streams. |
| * <u>Carya glabra</u> Pignut Hickory | D | 50' to 60' | 25' to 35' | Oval | | | | | | | | | | X | X | |
| * <u>Carya Illinoensis</u> Pecan | D | 70' to 100' | 40' to 75' | Oval | | | | | | | | | | X | X | |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|--|-----------------------|------------------|------------------|---------------------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>*Carya laciniosa</u> Shellbark Hickory | D | 60' to 80' | 20' to 30' | Spreading | | | | | | | | | | X | X | |
| <u>*Carya ovata</u> Shagbark Hickory | D | 60' to 80' | 40' to 60' | Oblong | | | | | | | | | | X | X | Can be planted by streams. |
| <u>*Catalpa speciosa</u> Northern Catalpa | D | 40' to 60' | 20' to 40' | Irregular | | | | | | | | | | X | X | |
| <u>*Celtis laevigata</u> Sugar Hackberry | D | 60' to 80' | 50' to 60' | Rounded | X | X | X | 7'+ | X | X | X | | | X | | |
| <u>*Celtis occidentalis</u> Common Hackberry | D | 40' to 60' | 40' to 60' | Rounded | | X | | | | | | | | X | X | Excellent wildlife tree. |
| <u>Cercidiphyllum japonicum</u> Katsura Tree | D | 40' to 60' | 30' to 50' | Oval to Columnar | X | X | X | 4'+ | X | X | X | X | | X | | Male forms are narrow and upright while female forms are round and spreading; handsome tree; had to be limbed up to meet ordinance requirements. |
| <u>Chamaecyparis obtuse</u> Hinoki Falsecypress | E | 50' to 75' | 10' to 20' | Pyramidal | | X | | | X | | | | X | | | Very dense evergreen; needs moist, humid conditions and protection from wind; many cultivars but most are a smaller size. |
| <u>Chamaecyparis pisifera</u> Sawara Falsecypress | E | 50' to 70' | 10' to 20' | Pyramidal | | X | | | X | X | | | X | | | Requires moist, humid conditions; numerous outstanding cultivars but they are a smaller size, loses beauty with age. |
| <u>*Diospyros virginiana</u> Common Persimmon | D | 35' to 60' | 20' to 35' | Oval | | | | | | | | | | X | X | Establishes well on compacted soils. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|---|-----------------------|------------------|--------------------|--------------------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Eucommia ulmoides</u> Hardy Rubber Tree | D | 40' to 60' | 40' to 50' | Rounded | X | X | X | 7'+ | X | X | X | X | | X | | Virtually problem free, outstanding dark green foilage; lacking in other ornamental qualities; excellent street tree. |
| <u>*Fagus grandifolia</u> American Beech | D | 50' to 70' | 100' to 120' | Rounded | | X | | | | | | | X | X | X | |
| <u>Fagus sylvatica</u> European Beech 'Asplenifolia' 'Fastiagata' 'Riversii' 'Rohanii' 'Rotundifolia' | D | 50' to 60' | 35' to 45' | Oval to Rounded | | X | | | | | | | X | | X | Doesn't meet most ordinance requirements because of low branching pattern, many excellent cultivars that could be used as a large screen; needs room to develop. |
| <u>*Fraxinus americana</u> White Ash 'Autumn Purple' | D | 50' to 80' | 40' to 60' | Oval | X | | X | 7'+ | X | X | X | | | X | X | Vigorous growing but requires a lot of care because of numerous insect and disease problems; best used in large areas. |
| <u>Fraxinus excelsior</u> Common or European Ash 'Hessei' | D | 70' to 80' | 60' to 90' | Rounded | | | | | | | | | | X | X | |
| <u>*Fraxinus pennsylvanica</u> Green Ash 'Marshall's Seedless' 'Summit' | D | 50' to 60' | 30' to 40' | Oval | X | | X | 7'+ | X | X | X | | | X | X | Very adaptable to adverse conditions where other trees have trouble growing. Excellent tree for wet areas. |
| <u>*Fraxinus quadrangulata</u> Blue Ash 'True Blue' | D | 50' to 70' | 25' to 35' | Rounded | | X | X | 7'+ | X | | | | X | X | X | Trees will be hard to obtain until source is established. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | | | COMMENTS |
|--|-----------------------|------------|------------|----------------------|----------------|-----------------------------|-------------|----------------------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>*Ginkgo biloba</u> (Male) Ginkgo 'Autumn Gold' 'Fastigata' | D | 50' to 80' | 30' to 50' | Pyramidal to Rounded | X | X | X | 7'+ | X | X | X | | | X | | Tolerates adverse conditions; excellent tree for streets and other urban uses; outstanding ornamental qualities. |
| <u>*Gymnocladus dioicus</u> Kentucky Coffeetree | D | 60' to 75' | 40' to 50' | Oval | | | | | | | | | | X | X | Drought tolerant. |
| <u>*Ilex opaca</u> American Holly 'Xanthocarpa' | E | 40' to 70' | 20' to 40' | Pyramidal | | | | | X | X | | | X | X | | Normally 20' to 30' in height; can be used as a large screen; must be limbed up to meet most ordinance requirements. |
| <u>*Juglans cinerea</u> Butternut | D | 40' to 60' | 30' to 50' | Rounded | | | | | | | | | | X | X | |
| <u>*Juglans nigra</u> Black Walnut | D | 50' to 75' | 50' to 75' | Oval | | | | | | | | | | X | X | |
| <u>Larix decidua</u> European Larch | D | 70' to 75' | 25' to 30' | Pyramidal | | | | | X | X | | | X | | X | Nice specimen tree for large areas; intolerant of adverse conditions; messy winter appearance; does well in wet areas. |
| <u>*Liquidambar styraciflua</u> Sweetgum 'Festival' 'Moraine' | D | 60' to 70' | 40' to 50' | Pyramidal To Oval | | X | X | 7'+ | X | X | X | | | X | X | Excellent tree for large areas; extensive root system needs room to develop; avoid polluted areas. |
| <u>*Liriodendron tulipifera</u> Tulip Poplar Yellow Poplar | D | 70' to 90' | 35' to 50' | Oval To Rounded | | | X | 8'+ | X | X | X | | | X | X | Can grow to 150' or taller, not for small Areas. |
| <u>Magnolia acuminata</u> Cucumber tree Magnolia | D | 50' to 80' | 50' to 80' | Pyramidal To Rounded | | | X | 8'+ | X | X | X | | | X | X | Develops massive spreading branches, not for polluted areas or dry soils. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)

ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | | |
|---|-----------------------|-------------------|------------------|----------------------------|----------------|--------------------------------|---------------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS | |
| <u>Metasequoia glyptostroboides</u> Dawn Redwood | D | 70' to 100' | 25' | Pyramidal to Conical | X | X | | | X | X | | | X | | | Can suffer from early freeze damage; not suitable for low areas; should only be used in large areas; very adaptable. | |
| <u>Picea abies</u> Norway Spruce | E | 40' to 60' | 25' to 30' | Pyramidal | X | | | | X | | | | X | X | | Loses form with age; commonly used as a windbreak; can be pruned into a hedge. | |
| <u>Picea glauca</u> White Spruce | E | 40' to 60' | 10' to 20' | Pyramidal | X | | | | X | | | | X | | | Very adaptable; tolerates adverse conditions better than other spruce trees. | |
| <u>Picea omorika</u> Serbian Spruce | E | 50' to 60' | 20' to 25' | Pyramidal | X | | | | X | | | | X | | | Excellent dark green foilage; tolerates city conditions; does well in almost any urban area. | |
| <u>Picea orientalis</u> Oriental Spruce | E | 50' to 60' | 20' to 30' | Pyramidal | X | | | | X | | | | X | | | Outstanding ornamental evergreen; needs protection from winter winds; low branching pattern restricts use. | |
| <u>Picea pungens</u> Colorado Spruce | E | 50' to 70' | 20' to 30' | Pyramidal | | | | | X | | | | X | | | Tolerates dry conditions better than other spruce; best used in large areas because of over-planting silvery-blue foilage color; not tolerant of salt or clay soils. | |
| <u>*Pinus echinata</u> Short Leaf Pine | E | 80' to 100' | 25' to 35' | Pyramidal | | | | | | | | | | X | X | | |
| <u>Pinus resinosa</u> Red Pine | E | 50' to 80' | 20' to 40' | Pyramidal to Oval | X | X | | | X | | | | X | | | Tolerates adverse conditions; does best farther north; develops a picturesque, symmetrical form with age. | |
| <u>*Pinus strobus</u> White Pine | E | 50' to 80' | 20' to 40' | Pyramidal | | | | | X | | | | X | X | | Soft, feathery appearance because of foilage, extremely intolerant of air pollution; one of most beautiful native pines. | |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|---|-----------------------|-------------|-------------|------------------------|----------------|-----------------------------|-------------|----------------------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <div>SCIENTIFIC NAME</div> <div>Common Name</div> <div>'Cultivar'</div> | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Pinus sylvestris</u> Scotch Pine | E | 30' to 60' | 30' to 40' | Irregular | X | | | | X | | | | X | X | | Unusual picturesque appearance; loses lower branches sooner than other pines; tolerates poor dry sites. |
| <u>Pinus thunbergii</u> Japanese Black Pine | E | 20' to 50' | Var. | Pyramidal to Irregular | X | | | | X | | | | X | | | Variable in size and spread; tolerates salt spray and poor soils. |
| <u>Platanus x acerifolia</u> London Planetree 'Bloodgood' | D | 70' to 100' | 60' to 80' | Pyramidal to Rounded | X | | X | 7'+ | X | X | | | | | | Tolerates adverse conditions; best used in large areas because of size; disease and insect problems can be serious. |
| <u>*Platanus occidentalis</u> American Sycamore | D | 75' to 100' | 75' to 100' | Irregular | | | X | 8'+ | | | | | | X | X | Excellent Floodplain Tree |
| <u>*Prunus serotina</u> Black Cherry | D | 50' to 60' | 25' to 30' | Oval | | | | | | | | | | X | X | |
| <u>Pseudotsuga menziesii</u> Douglas Fir 'Glauca' | E | 40' to 80' | 10' to 20' | Pyramidal | | | | | X | | | | X | | | Requires abundance of atmospheric moisture; intolerant of high winds; handsome evergreen. |
| <u>*Quercus alba</u> White Oak | D | 60' to 100' | 50' to 80' | Rounded | X | X | X | 7'+ | X | X | X | | | X | X | Drought resistant. |
| <u>*Quercus bicolor</u> Swamp White Oak | D | 50' to 60' | 50' to 50' | Rounded | | | X | 7'+ | | | | | | X | X | Excellent Floodplain Tree. |
| <u>*Quercus coccinea</u> Scarlet Oak | D | 70' to 75' | 40' to 50' | Pyramidal to Rounded | X | X | X | 7'+ | X | X | X | | | X | | Difficult to locate commercially; outstanding ornamental tree; somewhat difficult to transplant. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|---|-----------------------|------------------|-------------------|----------------------------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>*Quercus falcata</u> Southern Red Oak | D | 70' to 80' | 50' to 70' | Rounded | | | X | | | | | | | X | X | |
| <u>*Quercus imbricaria</u> Shingle Oak | D | 50' to 60' | 40' to 60' | Oval to Rounded | X | X | X | 7'+ | X | X | X | | | X | X | Nice tree when allowed room to develop; easier to transplant than most oaks; tolerates most adverse conditions. |
| <u>*Quercus macrocarpa</u> Bur Oak | D | 70' to 80' | 70' to 80' | Irregular | | | | | | | | | | X | X | |
| <u>*Quercus muehlenbergii</u> Chinkapin Oak | D | 70' to 80' | 80' to 100' | Rounded | X | X | X | 7'+ | X | X | X | | | X | X | |
| <u>*Quercus nigra</u> Water Oak | D | 50' to 80' | 40' to 60' | Oval to Rounded | X | X | X | 7'+ | X | X | X | | | X | X | Used extensively in the South; adaptable to moist, wet sites; leaves persist into winter. |
| <u>*Quercus palustris</u> Pin Oak 'Crown Rite' 'Sovereign' | D | 60' to 70' | 25' to 40' | Pyramidal | X | | | | | | | | | X | X | Limited use to flood plain areas. |
| <u>*Quercus phellos</u> Willow Oak | D | 40' to 60' | 50' to 40' | Pyramidal to Oval | X | X | X | 7'+ | X | X | X | | | X | X | Very handsome tree; widely used in South; finer textured than other oaks. |
| <u>Quercus robur</u> English Oak 'Fastigata' | D | 60' to 80' | 50' to 60' | Pyramidal to Rounded | X | | X | 7'+ | X | X | X | | | | | Widely used in Europe; too large for most settings; tolerates high pH soils. |
| <u>*Quercus rubra</u> Northern Red Oak | D | 60' to 75' | 40' to 50' | Rounded | X | X | X | 7'+ | X | X | X | | | X | X | Widely used; fast growing oak; transplants easily; valuable for a variety of landscape uses. |
| <u>*Quercus shumardii</u> Shumard Oak | D | 40' to 60' | 40' to 50' | Rounded | X | X | X | 7'+ | X | X | X | | | X | X | Not widely known and difficult to find commercially. Excellent street tree. |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | P L A N T U S E S | | | | | | | | |
|--|-----------------------|------------------|------------------|--------------------|----------------|--------------------------------|-------------|--|-----------------------|---------------------------------|--------------------------------|----------------|-----------|------------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>*Robinia pseudoacacia</u> Black Locust | D | 30' to 80' | 20' to 35' | Narrow Oblong | | | | | | | | | | X | X | Excellent invasive for early successional forest stage. |
| <u>*Sassafras albidum</u> Sassafras | D | 30' to 60' | 25' to 40' | Rounded | X | X | X | 4'+ | X | X | X | | | X | X | May need to be limbed up for some uses. |
| <u>Stephanolobium japonicum</u> (formerly <i>Sophora japonica</i>) Japanese Pagoda 'Princeton Upright' | D | 50' to 70' | 40' to 60' | Rounded | X | | X | 7'+ | X | X | X | | | | | Excellent flowers; adaptable to moist conditions; good tree for a variety of uses; should be used more extensively. |
| <u>*Taxodium distichum</u> Bald Cypress 'Shawnee Brave' | D | 50' to 70' | 20' to 30' | Pyramidal | X | X | | | X | X | X | | | X | X | Often must be limbed up to meet ordinance requirements; intolerant of reflected heat and drought; handsome specimen tree. |
| <u>*Thuja occidentalis</u> American Arborvatae | E | 40' to 60' | 10' to 15' | Pyramidal | X | X | | | X | | | | X | X | | Very dense evergreen; requires considerable atmospheric moisture; numerous cultivars but most are much smaller. |
| <u>*Tilia americana</u> American Basswood | D | 60' to 80' | 30' to 60' | Rounded | | | | | X | | | | | X | X | |
| <u>Tilia cordata</u> Littleleaf Linden 'Chancellor' 'Greenspire' 'June Bride' | D | 60' to 70' | 30' to 50' | Oval | | | X | 7'+ | X | X | X | X | | X | | |
| <u>*Tilia heterophylla</u> White Basswood | D | 60' to 80' | 30' to 60' | Rounded | | | | | | | | | | | X | |
| <u>*Tilia tomentosa</u> Silver Linden | D | 50' to 70' | 30' to 50' | Oval to Rounded | | | X | 5'+ | X | X | X | X | | X | X | |

* = Native Species

A/LT LARGE TREES (Over 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | | | COMMENTS |
|---|-----------------------|------------|------------|-------------|----------------|-----------------------------|-------------|----------------------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Tilia x euchlora</u> Crimean Linden 'Redmond' | D | 40' to 60' | 20' to 30' | Oval | | | X | 5'+ | X | X | X | X | | | | |
| * <u>Tsuga canadensis</u> Eastern Hemlock | E | 40' to 70' | 25' to 35' | Pyramidal | | | | | X | | | | X | X | X | Very dense, low-branched evergreen; responds well to pruning; sensitive to drought and polluted environments. |
| <u>Tsuga caroliniana</u> Carolina Hemlock | E | 45' to 60' | 20' to 25' | Pyramidal | X | | | | X | | | | X | | | Tolerates city conditions better than <u>T. canadensis</u> ; intolerant of drought conditions; not well known. ; |
| <u>Ulmus parvifolia</u> Lacebark Elm | D | 40' to 50' | 40' to 50' | Rounded | X | X | X | 7'+ | X | X | X | | | X | | Resistant to Dutch Elm disease; often confused with <u>U. pumila</u> , but is a much superior ornamental tree. |
| * <u>Ulmus rubra</u> Slippery Elm | D | 40' to 60' | 25' to 40' | Vase | | | | | | | | | | X | X | Excellent streamside tree. |
| <u>Zelkova serrata</u> Japanese Zelkova 'Village Green' | D | 50' to 80' | 40' to 70' | Vase-shaped | X | | X | 7'+ | X | X | X | X | | | | Outstanding ornamental tree; has been used as a replacement for American Elm; tolerates wind and drought; excellent street tree; needs timely pruning. |
| <u>Ulmus americana</u> American Elm Must be hybrid resistant to Dutch Elm Disease | D | 60' to 80' | 40' to 55' | | | | X | 7'+ | X | X | X | | | X | X | Use only hybrids resistant to Dutch Elm Disease |

* = Native Species

B/MT MEDIUM TREES (25 to 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|-------------------|-------------------|------------------------|----------------|-----------------------------|---------------------|---|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| <div>SCIENTIFIC NAME</div> <div>Common Name</div> <div>‘Cultivar’</div> | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | <div>Recommended</div> PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | Tree Protection Ordinance | GREENSPACE USE | COMMENTS |
| <u>Acer campestre</u> Hedge Maple | D | 25' to 35' | 25' to 35' | Rounded | X | X | X | 5'+ | X | X | X | | | X | | Excellent medium-size tree; useful in areas where space is limited; attractive dark green foliage. |
| *Amelanchier arborea* Downy Serviceberry | D | 15' to 25' | 10' to 15' | Rounded | | | | | X | X | | X | X | X | | Does best in a naturalistic planting. |
| *Carpinus caroliniana* American Hornbeam | D | 20' to 30' | 20' to 30' | Rounded | | X | | | X | X | X | | | X | X | Does best in partial shade; often must be limbed up to meet ordinance requirements; requires moist, well drained soils; interesting native tree. |
| <u>*Cladratis kentukea</u> <u>Yellowwood</u> | <u>D</u> | <u>30' to 50'</u> | <u>40' to 50'</u> | <u>Vase-Shaped</u> | | | X | <u>5'+</u> | X | X | X | | | X | X | <u>Excellent flowers and foliage; tolerates moist soil conditions; poor branching angles often require corrective pruning.</u> |
| <u>Corylus colurna</u> Turkish Filbert | D | 40' to 50' | 20' to 30' | Pyramidal | | | X | <u>5'+</u> | X | X | X | | | | | Favorite Japanese Beetle food. |
| *Gleditsia triacanthos* var. intermis Thornless Honey Locust ‘Moriane’ ‘Shademaster’ ‘Skyline’ ‘Sunburst’ | D | 30' to 50' | 30' to 50' | Rounded | X | | X | 5'+ | X | X | X | | | X | | Only thornless cultivars are acceptable; Cultivars have less disease and insect problems than straight species; provides a light, filtered shade; widely used. |
| <u>*Halesia tetraptera</u> <u>(formerly- carolina)*</u> Carolina Silverbell | D | 30' to 40' | 20' to 35' | Oval to Rounded | | X | X | <u>5'+</u> | X | X | X | | | X | | Prefers rich, well drained, acid soils; intolerant of adverse conditions; often must be limbed up to meet ordinance. |
| *Ilex opaca* American Holly | E | 40' to 50' | 18' to 40' | Pyramidal to Irregular | | | | | X | | | | X | X | X | Needs sheltered location; some leaf minor problems; need male and female for fruit. |

* = Native Species

B/MT MEDIUM TREES (25 to 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|--|-----------------------|------------|------------|-----------------|----------------|-----------------------------|------------------------------|--|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | Tree Protection Ordinance | GREENSPACE USE | COMMENTS |
| <u>Ilex pedunculosa</u> Longstalk Holly | E | 20' to 30' | 10' to 15' | Dense, Rounded | X | X | | | X | X | | | X | X | | One of the hardiest red fruiting holly. |
| *Juniperus virginiana* Eastern Redcedar | E | 40' to 50' | 10' to 20' | Pyramidal | X | X | | | X | | | | X | X | | Can be used as a screen between conflicting land uses; cultivars are superior to straight species, but most are smaller in size; best used in large areas; doesn't meet other ordinance requirements because of low branching pattern. |
| Koelreuteria <u>aria</u> paniculata Golden R -Raintree | D | 30' to 40' | 30' to 40' | Rounded | X | X | X | 5'+ | X | X | X | | | X | | Beautiful dense tree; tolerates most adverse conditions; excellent late yellow flowers; somewhat weak wooded but can be used as a street tree. |
| *Maclura pomifera* Osage Orange | D | 20' to 40' | 20' to 40' | Rounded | | | | | | | | | | X | X | Wood is very decay resistant. |
| *Nyssa sylvatica* Tupelo Black Gum , <u>Tupelo</u> | D | 30' to 50' | 20' to 30' | Oval to Rounded | X | X | X | 5'+ | X | X | X | X | | X | X | One of the most beautiful native trees; intolerant of high pH soils difficult to transplant. |
| *Ostrya virginiana* Hophornbeam | D | 25' to 40' | 20' to 30' | Rounded | X | X | X | 5'+ | X | X | X | X | | X | X | Good tree where space is limited; somewhat slow to establish; occasionally must be limbed up. |
| *Oxydendrum arboreum* Sourwood | D | 25' to 30' | 20' to 25' | Pyramidal | X | X | X X | 5'+ | X | X | X | X | | X | | Requires rich, acid soils; attractive in all seasons; somewhat difficult to transplant. |
| <u>Parrotia persica</u> Persian Parrotia | D | 20' to 40' | 15' to 30' | Oval | X | X | X | 5'+ | X | X | X | | | | | Outstanding bark and foilage color; excellent for a variety of uses although not very well known. |

* = Native Species

B/MT MEDIUM TREES (25 to 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|---------------------|----------------|-----------------------------|---------------------|---|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| <div>SCIENTIFIC NAME</div> <div>Common Name</div> <div>‘Cultivar’</div> | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | <div>Recommended</div> PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | Tree Protection Ordinance | GREENSPACE USE | COMMENTS |
| <u>Paulownia tomentosa</u> Royal Paulownia | D | 30' to 40' | 30' to 40' | Rounded | | | | | | | | | | | X | Japanese beetles feed on. |
| <u>Phellodendron amurense</u> Cork Tree | D | 30' to 45' | 30' to 40' | Rounded | X | X | | | X | X | X | | | X | | Very adaptable, withstands most adverse conditions; useful in largest settings; picturesque appearance. |
| <u>Pinus cembra</u> Swiss Stone Pine | E | 30' to 40' | 15' to 25' | Pyramidal | X | | | | X | X | X | | | | | Handsome evergreen; slow growth rate limits use; requires an open area with good air movement; transplants easier than most pines. |
| <u>Pinus parviflora</u> Japanese White Pine | D | 25' to 50' | 25' to 50' | Rounded | X | | | | X | | | | X | | | Develops a low-branched, wide-spreading form; tolerates most soils; good tree for small areas, slow growth rate. |
| *Pinus virginiana* Virginia or Scrub Pine | E | 15' to 40' | 10' to 30' | Irregular Pyramidal | | | | | | | | | | X | X | |
| <u>Prunus sargentii</u> Sargent Cherry ‘Columnaris’ | D | 40' to 50' | 30' to 50' | Rounded | X | X | | | X | X | X | | | X | | Tolerant of adverse conditions; one of the best large cherries for ornamental use; fruit can be messy. |
| <u>Prunus subhirtella</u> Higan Cherry ‘Autumnalis’ var. pendula | D | 20' to 40' | 15' to 30' | Rounded | X | X | | | X | X | X | | | | | Variable in form and flower colors; striking when in flower; numerous cultivars. |
| <u>Prunus yedoensis</u> Yoshino Cherry | D | 20' to 40' | 20' to 40' | Rounded | X | X | | | X | X | X | | | X | | Outstanding pinkish-white flowers; not common and could be hard to find commercially. |

* = Native Species

B/MT MEDIUM TREES (25 to 50 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | P L A N T U S E S | | | | | | | | | | | COMMENTS |
|--|-----------------------|------------------|------------------|----------------------|---------------------|-----------------------------|-------------|---|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | Tree Protection Ordinance | GREENSPACE USE | |
| <u>Pyrus calleryana</u> (Cult.) Callery Pear (Cultivar) 'Aristocrat' 'Chancellor' 'Cleveland Select' | D | 30' to 50' | 20' to 35' | Pyramidal to Oval | X | X | X | 4'+ | X | X | X | X | | | | Only cultivars are acceptable for use; very adaptable; excellent for a variety of uses; 'Bradford' has poor branch angles and requires extra maintenance therefore is unacceptable. Resistant to fireblight which troubles common pear. |
| <u>Quercus acutissima</u> Sawtooth Oak | D | 35' to 45' | 30' to 40' | Rounded | X | X | | | X | X | X | | | X | X | Slow growth rate limits use; lustrous dark green foliage; not widely known but deserves more use. |
| <u>*Quercus stellata*</u> Post Oak | D | 40' to 50' | 25' to 35' | Rounded | | | | | | | | | | X | X | |
| <u>Stewartia pseudo-camellia</u> Japanese Stewartia | D | 20' to 35' | 20' to 30' | Oval | | X | | | X | X | X | | | | | Superb specimen tree; requires rich, moist soils; difficult to transplant; hardest of the stewartias; hard to find commercially. |
| <u>Syringa reticulata</u> Japanese Tree Lilac | D | 20' to 30' | 15' to 25' | Oval | | | X | 3'+ | X | X | X | | | | | Most trouble-free lilac; more adaptable than other lilacs; spectacular white flower display. |
| <u>*Ulmus alata*</u> Winged Elm | D | 30' to 40' | 20' to 30' | Rounded | | | | | | | | | | X | X | Often infected with powdery mildew. |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|---------|----------------|-----------------------------|---------------------|----------------------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <div>SCIENTIFIC NAME</div> <div>Common Name</div> <div>‘Cultivar’</div> | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | Recommended PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Acer tataricum</u> var. <u>ginnala</u> Amur Maple | D | 15' to 18' | 15' to 20' | Rounded | X | X | X | 3'+ | X | X | X | | | X | X | Handsome multi-stemmed shrub tree; withstands heavy pruning inconsistent fall color; very adaptable. |
| <u>Acer palmatum</u> Japanese Maple ‘Atropurpureum’ ‘Boodgood’ ‘Burgundy Lace’ ‘Crispum’ | D | 15' to 25' | 15' to 25' | Rounded | | | | | X | X | X | | | X | | Outstanding ornamental tree; frequently used because of slow growth and need for winter protection; recommended for private use. |
| <u>*Acer pensylvanicum</u> Striped Maple | D | 15' to 20' | 12' to 20' | Rounded | | X | | | X | X | X | | | X | | Shrub or tree form prefers partial shade; intolerant of adverse conditions; lovely white striped bark. |
| <u>Aesculus parviflora</u> Bottlebrush Buckeye | D | 8' to 12' | 8' to 15' | Rounded | | X | | | | | | | X | X | X | Excellent multi-stemmed shrub for shady areas; dense, compact forms are superb screens, but they require adequate room; can be kept much smaller. |
| <u>*Aesculus pavia</u> Red Buckeye | D | 10' to 20' | 10' to 20' | Rounded | X | X | | | X | X | | | X | X | X | |
| <u>Alnus serrulata</u> Tag Alder | D | 15' to 25' | 10' to 20' | Rounded | X | X | | | X | X | | | X | X | X | Excellent for use along stream banks and in poor soil areas. |
| <u>Amelanchier canadensis</u> Shadblow Serviceberry | D | 10' to 20' | 10' to 20' | Rounded | | X | | | | | | | X | X | X | Dense, upright shrub with erect stems tolerates wet soil better than other serviceberries; use as screen if planted close together. |
| <u>*Amelanchier laevis</u> Allegheny Serviceberry | D | 15' to 25' | 15' to 25' | Rounded | | X | X | 3'+ | X | X | X | | | X | X | Attractive multi-stemmed tree; often must be limbed up to meet ordinance requirements; possible use in sight triangle if single-stemmed forms are selected. |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|-----------------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| <u>SCIENTIFIC NAME</u> Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>*Asimina triloba</u> Pawpaw | D | 15' to 20' | 15' to 20' | Rounded | X | X | | | X | X | | | X | X | X | Aggressive competitor. Excellent for use in stream areas. |
| <u>*Cercis canadensis</u> Eastern Redbud 'Flame' 'Forest Pansy' 'Royal' | D | 20' to 25' | 20' to 30' | Rounded | X | X | X | 3'+ | X | X | X | | | X | X | Excellent native tree; graceful ascending branches, normally must be limbed up to meet ordinance requirements; showy pink-purple flowers. |
| <u>Chionanthus virginicus</u> White Fringetree | D | 15' to 30' | 15' to 30' | Broadly Rounded | X | X | X | 3'+ | X | X | X | | X | X | | |
| <u>Cornus alternifolia</u> Pagoda Dogwood | D | 15' to 25' | 20' to 30' | Rounded | X | X | | | X | X | X | | | X | X | Low branched tree or shrub; interesting horizontal branching; must be limbed up to meet ordinance requirements. |
| <u>*Cornus florida</u> Flowering Dogwood 'Cherokee Chief' 'Cherokee Princess' var. rubra 'White Cloud' | D | 20' to 25' | 20' to 30' | Rounded | | X | | | X | X | X | | | X | X | Excellent low branched ornamental tree; must be limbed up to meet ordinance requirements; spectacular when flowering; recommended for private use. |
| <u>Cornus Kousa</u> Kousa Dogwood 'Milky Way' | D | 15' to 20' | 15' to 20' | Rounded | | X | | | X | X | X | | X | X | X | Possibly use if limbed up, but naturally develops a low branching structure; recommended for private use. |
| <u>Cornus mas</u> Corneliancherry-Dogwood | D | 20' to 25' | 15' to 20' | Oval to Rounded | X | X | | | X | X | X | | X | X | | Usually branches to ground; possible if limbed up; attractive yellow flower display; recommended for private use. |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|-----------------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <u>SCIENTIFIC NAME</u> Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>*Crataegus crusgalli</u> Cockspur Hawthorn | D | 20' to 25' | 20' to 30' | Rounded | X | | | | X | | | | X | X | | Dense, low-branched tree; numerous long, sharp thorns; excellent screen and barrier plant. |
| <u>Crataegus phaenopyrum</u> Washington Hawthorn | D | 20' to 30' | 20' to 25' | Oval to Rounded | X | | | | | X | | | X | X | X | Dense, thorny tree; thorns can limit use; often must be limbed up. |
| <u>Crataegus viridis</u> Green Hawthorn 'Winter King' | D | 20' to 30' | 20' to 30' | Rounded | X | | | | X | X | X | | X | X | | Dense, thorny tree; occasionally must be limbed up; excellent small specimen tree; thorns might limit its use. |
| <u>Crataegus x lavalleyi</u> Lavalley Hawthorn | D | 15' to 25' | 10' to 20' | Oval | X | | X | 4'+ | X | X | X | X | X | X | | Small dense tree, essentially thornless; normally must be limbed up to meet ordinance regulations; possible use in sight triangle if limbed up. |
| <u>Euonymus alatus</u> Winged Euonymus | D | 15' to 25' | 15' to 25' | Rounded | X | X | | | | | | | X | X | | Large broad shrub; excellent hedge and screen plant; can be kept much smaller with pruning; very adaptable; numerous smaller cultivars. Invasive. |
| <u>Euonymus atropurpureus</u> Eastern Wahoo | D | 12' to 24' | 10' to 20' | Irregular | X | | | | X | X | | | X | X | X | Susceptible to scale. |
| <u>Forsythia x intermedia</u> Border Forsythia | D | 8' to 10' | 10' to 12' | Rounded | X | X | | | X | | | | X | | | Benefits from selective pruning of larger branches; can be kept smaller with pruning. |
| <u>*Hamamelis virginiana</u> Common Witchhazel | D | 20' to 30' | 20' to 25' | Rounded | X | X | | | | | | | X | X | X | |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|-----------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <u>SCIENTIFIC NAME</u> Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Hydrangea paniculata</u> Panicle Hydrangea | D | 15' to 25' | 10' to 20' | Irregular | X | | | | | | | | X | X | X | Should probably be reserved for large out of the way areas. |
| <u>Ilex x attenuata</u> 'Fosteri' Foster Holly | E | 10' to 20' | 5' to 10' | Pyramidal | X | X | | | X | | | | X | X | | Dense, handsome evergreen; excellent year-round screen; possible winter damage. |
| <u>Juniperus chinensis</u> (Cult.) Chinese Juniper (Cult.) 'Hetzii' 'Keteleeri' 'Mint Julep' 'Mount Batten' 'Pfitzeriana' Robusta Green' | E | 12' to 25' | Var. | Varied | X | | | | X | X | | | X | X | | Only cultivars are acceptable; uses depend on the size, shape, and growth habit of each cultivar; dense evergreen forms. |
| <u>Magnolia stellata</u> Star Magnolia | D | 15' to 20' | 10' to 15' | Rounded | | X | | | X | | | | X | X | | Dense shrub-like form; good screen but needs ample room; needs winter protection; avoid southern exposure. |
| <u>Magnolia virginiana</u> Sweetbay Magnolia | D | 10' to 20' | 10' to 20' | Oval | | X | | | X | | X | | X | X | | Large multi-stemmed shrub; better in wet soils than other magnolias, possible use if central leader forms are used. |
| <u>Magnolia x soulangiana</u> Saucer Magnolia | D | 20' to 20' | 20' to 30' | Rounded | | X | | | X | X | X | | X | X | | Low-branched and normally must be limbed up to meet ordinance requirements although this destroys form; seldom used to meet landscaping requirements; but recommended highly for private use. |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|--|-----------------------|------------|------------|-------------------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <div>SCIENTIFIC NAME</div> <div>Common Name</div> <div>‘Cultivar’</div> | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Malus (varieties)</u> Crabapple ‘Bob White’ ‘Coral Cascade’ ‘Dolgo’ ‘Harvest Gold’ ‘Red Jade’ ‘Red Swan’ ‘Snowdrift’ ‘Vanguard’ ‘White Angel’ | D | 10’ to 25’ | 10’ to 30’ | Varied | X | X | X | 3’+ | X | X | X | X | | X | | Only disease and insect resistant cultivars are acceptable; possible use depends on branching height; often must be limbed up; valued for foilage; fruit, flowers, and variations in size and form; numerous cultivars and landscape numerous cultivars and landscape uses. |
| <u>Philadelphus x virginalis</u> Mockorange | D | 10’ to 15’ | 10’ to 15’ | Rounded | X | X | | | | | | | | X | | |
| <u>Pinus densiflora</u> Japanese Red Pine ‘Oculus – draconis’ ‘Umbraculifera’ | E | 10’ to 15’ | 10’ to 15’ | Rounded | X | | | | X | | | | X | | | Only cultivars are acceptable in this size group; dense evergreen form; slow growing; interesting small specimen trees. |
| <u>Pinus mugo</u> Mugho Pine | E | 15’ to 20’ | 20’ to 30’ | Varied | X | | | | | | | | X | | | Variable in form, although normally low, and broad-spreading; can be pruned yearly to keep dwarf. |
| <u>Platycladus orientalis</u> Oriental Arborvitae | E | 15’ to 25’ | 10’ to 12’ | Pyramidal to Oval | X | X | | | X | X | | | X | | | Dense evergreen form; tolerates heat and adverse soils; needs wind protection. |
| <u>*Prunus americana</u> American Plum | D | 15’ to 25’ | 12’ to 18’ | Rounded | | | | | | | | | X | X | X | |
| <u>Prunus angustifolia</u> Chickasaw Plum | D | 12’ to 20’ | 15’ to 20’ | Rounded | | | | | | | | | X | X | X | |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|---|-----------------------|------------|------------|-------------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|--|
| <u>SCIENTIFIC NAME</u> Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Prunus 'Hally Jolivette'</u> Hally Jolivette Cherry | D | 10' to 15' | 10' to 15' | Rounded | | | | | | | | | X | X | | Densely branched large shrub; attractive pinkish-white flowers; wide-spreading and requires ample room; seldom used as a landscape requirement but one of the nicest cherries. |
| <u>Prunus serrulata (Cult.)</u> Oriental Cherry (Cult.) 'Kwanzan' 'Shirofugen' | D | 15' to 20' | 15' to 20' | Vase-Shaped | X | | | | X | X | X | | | X | | Straight species is inferior and seldom used, but there are numerous outstanding cultivars; excellent flower display. |
| <u>*Prunus virginiana</u> Common Chokecherry | D | 20' to 30' | 18' to 25' | Rounded | | | | | | | | | | X | X | |
| <u>*Ptelea trifoliata</u> Hoptree | D | 15' to 20' | 15' to 20' | Rounded | X | X | | | X | X | | | X | X | | Does well in shade or sun. |
| <u>*Rhamnus caroliniana</u> Carolina Buckthorn | D | 10' to 25' | 10' to 25' | Oval | X | X | | | X | X | | | X | X | | |
| <u>*Rhus typhina</u> Staghorn Sumac | D | 15' to 25' | 15' to 25' | Spreading | X | X | | | X | X | | | X | X | | |
| <u>Robinia hispida</u> Bristly Locust | D | 6' to 20' | 6' to 20' | Spreading | | | | | | | | | | X | X | |
| <u>*Staphylea trifolia</u> American Bladdernut | D | 10' to 15' | 5' to 10' | Upright | X | X | | | | | | | | X | X | Prefers damp, moist, well-drained soils. |

* = Native Species

C/LST LARGE SHRUB OR SMALL TREE (10 TO 25 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | | |
|--|-----------------------|------------------|------------------|--------------------|----------------|-----------------------------|---------------------|----------------------|--------------------|------------------------------|-----------------------------|----------------|-----------|---------------------------|----------------|---|
| <u>SCIENTIFIC NAME</u> Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FROM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | STREET TREE | PLANTING STRIP WIDTH | PROPERTY PERIMETER | VEHICULAR USE AREA PERIMETER | VEHICULAR USE AREA INTERIOR | SIGHT TRIANGLE | SCREENING | TREE PROTECTION ORDINANCE | GREENSPACE USE | COMMENTS |
| <u>Taxus cuspidata</u> (Cult.) Japanese Yew (Cult.) 'Capitata' 'Intermedia' 'Nana' 'Thayen' | E | 10' to 20' | 10' to 30' | Varied | X | X | | | X | | | | X | | | Only cultivars are acceptable for this group; responds well to pruning and can be kept much smaller than size listed; excellent dense hedges. |
| <u>*Viburnum lentago</u> Nannyberry | D | 15' to 18' | 6' to 10' | Rounded | X | X | | | X | X | | | X | X | | |
| <u>Viburnum opulus</u> Cranberrybush Viburnum | D | 8' to 10' | 10' to 15' | Oval to Rounded | X | | | | X | X | | | X | X | X | Attractive fruit and flower display; very common viburnum and one of the most popular; good screen for large areas. |
| <u>*Viburnum prunifolium</u> Blackhaw Viburnum | D | 12' to 15' | 8' to 12' | Rounded | X | X | | | X | X | | | X | X | X | |
| <u>Viburnum rhytidophyllum</u> Leatherleaf Viburnum | E | 10' to 15' | 10' to 15' | Rounded | X | X | | | | | | | X | X | X | Blends well with other evergreens; tolerates heavy shade; best used in large areas. |
| <u>*Viburnum rufidulum</u> Southern or Rusty Blackhaw | D | 12' to 15' | 8' to 12' | Rounded | X | X | | | X | X | | | X | X | X | |
| <u>Viburnum sieboldii</u> Siebold Viburnum | D | 15' to 20' | 10' to 15' | Rounded | X | X | | | X | | | | X | X | X | Large, coarse shrub; requires ample moisture; best used in large areas. |
| <u>Viburnum trilobum</u> American Cranberrybush | D | 8' to 12' | 8' to 12' | Rounded | X | X | | | X | X | | | X | X | X | Multi-stemmed shrub; transplants easily; needs well drained moist soil, good screen for large areas. |

* = Native Species

D/MS MEDIUM SHRUBS (6 TO 10 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | |
|---|-----------------------|-----------|-----------|---------------------|----------------|-----------------------------|---------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Acanthopanax sieboldian</u> Fiveleaf Aralia | D | 8' to 10' | 8' to 10' | Rounded | X | X | Dense | X | X | X | | | | | Erect shrub with arching branching; extremely adaptable; numerous sharp-pointed thorns that are effective for stopping circulation. |
| <u>Aronia arbutifolia</u> Red Chokeberry | D | 6' to 10' | 3' to 5' | Oval to Columnar | X | X | Inter-Mediate | X | X | X | | | | X | Somewhat leggy, develops a rounded crown; requires a low facer plant to be effective for screening; must be planted closely together to achieve required density. |
| <u>Aronia melanocarpa</u> Black Chokeberry | D | 3' to 5' | 3' to 5' | Rounded | X | X | Open | X | X | X | | | X | X | Tends to sucker profusely and forms large colonies. |
| <u>Berberis julianae</u> Wintergreen Barberry | D | 6' to 10' | 6' to 10' | Columnar to Rounded | X | X | Dense | X | X | X | | | | X | Semi-evergreen; numerous small thorns; excellent screen or barrier plant; hardiness is sometimes a problem. |
| <u>Calycanthus floridus</u> Carolina Allspice | D | 6' to 9' | 6' to 12' | Rounded | X | X | Dense | X | X | X | | | X | X | Very fragrant flowers with a sweet strawberry scent; adaptable; does well in shade. |
| <u>Cephalanthus occidentalis</u> Buttonbush | D | 3' to 6' | 3' to 6' | Rounded | | X | Open | | | | | | X | X | Best reserved for moist areas in a naturalized situation. |
| <u>Chaenomeles speciosa</u> Flowering Quince | D | 6' to 10' | 6' to 10' | Rounded | X | | Dense | X | X | X | | | | | Dense, twiggy form with spiny branches; used mainly because of flower display; good barrier plant. |

D/MS MEDIUM SHRUBS (6 TO 10 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | COMMENTS |
|--|-----------------------|-----------------|------------------|---------------|----------------|-----------------------------|---------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Chamecyparis pisifera</u> Sawara falselyparis 'Cyano-virdis' 'Filifera' 'Filifera Aurea' 'Plumosa' 'Plumosa Aurea' 'Squarrosa' | E | 6' to 8' | 6' to 7' | Varied | | X | Very Dense | X | X | X | | | | | Only cultivars are acceptable for this size group; numerous outstanding cultivars; all prefer moist, humid conditions; large variety of forms, colors, and textures. |
| <u>Cornus amomum</u> Silky Dogwood | D | 6' to 10' | 6' to 10' | Rounded | | X | Open | | | | | | X | X | Best used for naturalizing in moist and net soils; prefers partially shaded areas. |
| <u>Cornus serica</u> Redosier Dogwood | D | 7' to 9' | 10'+ | Rounded | X | | Open | X | X | X | | | X | X | Very adaptable; twig blight can be a problem. |
| <u>Cotoneaster lucidus</u> Hedge Cotoneaster | D | 5' to 10' | 6' to 10' | Rounded | X | X | Dense | X | X | X | | | | | Frequently used as a hedge; handsome dark green foliage; vigorous, durable shrub. |
| <u>Cotoneaster multiflora</u> Many flowered Cotoneaster | D | 8' to 12' | 12' to 15' | Rounded | X | X | Dense | X | X | X | | | | | Develops a fountain-like appearance; somewhat difficult to transplant; attractive white flowers; requires room to develop. |
| <u>Euonymus alatus (Cultivar)</u> Winged Euonymus 'Compacta' | D | 6' to 8' | 6' to 8' | Rounded | X | X | Dense | X | X | X | | | | | Develops to a larger size than most people expect, but much more compact than straight species; excellent hedge. |
| <u>Forsythia suspensa</u> Weeping Forsythia | D | 8' to 10' | 10' to 15' | Fountain-like | X | X | Dense | X | | X | | | | | Branches can be trained along a wall, fence or other structure. |

D/MS MEDIUM SHRUBS (6 TO 10 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | COMMENTS |
|--|-----------------------|-----------|-----------|----------------------|----------------|-----------------------------|---------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Fothergilla major</u> Larger Fothergilla | D | 6' to 10' | 5' to 8' | Pyramidal to Rounded | | X | Dense | X | X | X | | | | | Requires acid soil and good drainage; attractive dark green foliage. |
| <u>Hamamelis vernalis</u> Vernal Witchhazel | D | 6' to 10' | 6' to 10' | Rounded | X | X | Dense | X | X | X | | | | X | Neat, multi-stemmed form, smallest witchhazel; durable, adaptable plant; flowers early. |
| <u>Ilex crenata</u> Japanese Holly 'Convexa' 'Microphylla' 'Rotundifolia' | E | 5' to 8' | 5' to 8' | Rounded | X | X | Dense | | X | | | | | | Slow growth rate limits use as a large screen; possible winter damage depending on cultivar; best used as a low shrub or hedge. |
| <u>Ilex glabra</u> Inkberry | D | 6' to 8' | 8' to 10' | Oval to Rounded | X | X | Dense | | X | | | | | | Becomes somewhat open with age, but responds well to heavy pruning; slow growth rate; many uses. |
| <u>Ilex verticillata</u> Winterberry | D | 6' to 9' | 6' to 9' | Oval to Rounded | X | X | Dense | X | X | X | X | | X | X | Excellent for wet areas; requires both male and female plant for fruit; prefers rich acid soils; slow growing. |
| <u>Ilex x meserve</u> Meserve Holly 'Blue Angel' 'Blue Prince' 'Blue Princess' | E | 6' to 10' | 6' to 10' | Varied | X | X | Dense | X | X | X | | | | | Shrubby evergreen form; seldom any winter damage; one of the hardest and most ornamental holly; can be kept smaller by pruning. |
| <u>Juniperus communis</u> Common Juniper | E | 5' to 10' | 8' to 12' | Varied | X | | Dense | X | | | | | | X | Attractive to wildlife, excellent for songbirds, cover and screen. |

D/MS MEDIUM SHRUBS (6 TO 10 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | COMMENTS |
|---|-----------------------|-----------|-----------|------------------|----------------|-----------------------------|---------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>*Kalmia latifolia</u> Mountain-laurel | E | 7' to 10' | 7' to 10' | Rounded | | | Dense | | X | | | | X | | Can grow to 30' in farther south; handsome broadleaf evergreen; requires rich, moist, acid soil, somewhat difficult to grow. |
| <u>Lindera benzoin</u> Spicebush | D | 6' to 12' | 6' to 12' | Rounded | X | X | Dense | X | X | X | | | X | X | Forage for wildlife, excellent greenspace selection. |
| <u>Lonicera fragrantissima</u> Fragrant Honeysuckle | D | 6' to 10' | 6' to 10' | Rounded | X | | Dense | X | X | X | | | | | Tangled mass of branches; good hedge; very adaptable; fragrant white flowers. |
| <u>Myrica pensylvanica</u> Northern Bayberry | D | 5' to 12' | 5' to 12' | Rounded | X | X | Dense | X | X | X | | | | | Semi-evergreen; extremely adaptable; combines well with broadleaf evergreens; many uses. |
| <u>Pieris japonica</u> Japanese Pieris | E | 9' to 12' | 6' to 8' | Oval | | | Dense | X | X | X | | | | | Broadleaf evergreen; requires rich, moist, acid soil; difficult to grow; requires winter protection; highly recommended for use with other broadleaf evergreens; should only be used in protected areas. |
| <u>Rhamnus frangula Cult.</u> Glossy Buckthorn 'Columnaris' | D | 8' to 12' | 8' to 12' | Columnar to Oval | | | Dense | X | X | X | | | | | Popular as a tall, narrow hedge; straight species is unacceptable; intolerant of compacted soil. |
| <u>Rhododendron (Varieties)</u> Rhododendron (Var.) | E | Var. | Var. | Varied | | | Dense | X | X | X | | | | | Requires shade and protection from winter and wind damage; excellent plant where it will grow; blends well with other broadleaf evergreens. |
| <u>Sambucus canadensis</u> American Elder | D | Var. | Var. | Spreading | X | X | Open | X | X | X | | | X | X | Best used in naturalized areas. |

D/MS MEDIUM SHRUBS (6 TO 10 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | P L A N T U S E S | | | | | | | | COMMENTS |
|---|-----------------------|-----------|-----------|-----------------|----------------------------|-----------------------------|---------------------|------------------------------|-----------------------------------|----------------------------|----------------|--------------|----------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Taxus x media</u> Anglojap Yew 'Brownii' 'Chadwickii' 'Densiformis' 'Hatfieldii' 'Hicksii' 'Wardii' | E | 5' to 12' | Var. | Varied | X | X | Very Dense | X | X | X | | | | X | Can eventually grow to 10' tall if not pruned; responds extremely well to pruning and can be kept as low as 2' to 3' tall indefinitely; makes an excellent hedge. |
| <u>Viburnum dentatum</u> Arrowwood Viburnum | D | 6' to 8' | 6' to 12' | Rounded | X | X | Dense | X | X | X | | | | X | Most durable viburnum; not as attractive as most viburnums; good for a hedge; suckers freely and can become unkempt. |
| <u>Viburnum molle</u> Kentucky Viburnum | D | 8' to 12' | 8' to 12' | Rounded | Yes X | Yes X | Dense | Yes X | Yes X | Yes X | | | Yes X | X | |
| <u>Viburnum plicatum var. tomentosum</u> Cranberrybush Viburnum | D | 8' to 12' | 9' to 12' | Rounded | Yes X | Yes X | Dense | Yes X | Yes X | Yes X | | | X | | Interesting horizontal branchings, adaptable; outstanding flower display; excellent screen for large areas. |
| <u>Viburnum x burkwoodii</u> Burkwood Viburnum | D | 8' to 10' | 6' to 8' | Oval to Rounded | Yes X | Yes X | Inter-mediate | Yes X | Yes X | Yes X | | | | | Blends well with broadleaf evergreens; somewhat unkempt in appearance and usually requires pruning; very fragrant flowers. |

E/SS SMALL SHRUBS (4 to 6 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| PLANT CHARACTERISTICS | | | | | | | | | | | | | | | P L A N T U S E S | | | | | COMMENTS |
|---|------------|----------------|----------------|------------------------|----------------|--------------------------------|---------------|------------------------------------|---|---------------------------|----------------|--------------|------------------------------|----------------|---|--|--|--|--|----------|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | Tree Protection Ordinance | GREENSPACE USE | | | | | | |
| <u>Berberis Koreana</u> Korean Barberry | D | 4' to 6' | 3' to 5' | Oval | X | X | Very Dense | | X | | | | | | Multi-stemmed form; suckers profusely and can become unkempt with age; size limits its use; excellent as a barrier. | | | | | |
| <u>Berberis thunbergii</u> Japanese Barberry | D | 4' to 5' | 5' to 7' | Columnar to Rounded | X | X | Dense | | X | | | | | | This popular barberry withstands drought conditions; excellent screen or hedge, many smaller cultivars deserve use. | | | | | |
| <u>Berberis x mentorensis</u> Mentor Barberry | D | 5' to 7' | 5' to 7' | Columnar | X | X | Dense | X | X | X | | | | | Semi-evergreen; withstands cold and hot conditions better than other barberries; outstanding hedge because of uniform growth rate; size limits use. | | | | | |
| <u>Chamaecyparis obtusa</u> (cultivar) Hinoki Falsecypress 'Compacta' 'Gracilis' 'Nana Gracilis' | E | 5' to 7' | 5' to 7' | Rounded | | X | Very Dense | | X | | | | | | Straight species can grow to 60' or more in height; only cultivars are acceptable; thick, dark green foliage. | | | | | |
| <u>Clethra alnifolia</u> Summersweet Clethra | D | 5' to 7' | 5' to 7' | Oval to Rounded | X | X | Dense | | X | | | | | | Good shrub for wet areas; attractive, fragrant flowers appear late in summer; very clean. | | | | | |

E/SS SMALL SHRUBS (4 to 6 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| PLANT CHARACTERISTICS | | | | | | | | | | | | | | | P L A N T U S E S | | | | | | | | | | COMMENTS |
|---|------------|----------------|-----------------|-----------|----------------|--------------------------------|---------------|------------------------------------|---|---------------------------|----------------|--------------|------------------------------|----------------|---------------------|--|--|--|--|--|--|--|--|--|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | Tree Protection Ordinance | GREENSPACE USE | | | | | | | | | | | |
| <u>Leucothoe fontanesiana</u> Dropping Leucothoe | E | 5' to 7' | 5' to 7' | Weeping | | X | Inter | | X | | | | | | | | | | | | | | | | Fountain-like appearance; intolerant of drought or winds; good undergrowth plant; broadleaf evergreen. |
| <u>Pinus mugho</u> (Cultivar) Mugho Pine (Cult.) 'Compacta' var. mugho 'Slavinii' | E | 5' to 7' | 5' to 7' | Varied | X | | Very Dense | | X | | | | | | | | | | | | | | | | Slow-growing; cultivars seldom become large enough to meet some landscape screening requirements; excellent low evergreen screens. |
| <u>Rhodotypos scandens</u> Jetbread | D | 3' to 6' | 4' to 9' | Rounded | X | X | Inter | | X | | | | | | | | | | | | | | | | Tough, durable plant withstanding most adverse conditions; good selection where other plants have trouble growing. |
| <u>Rhus aromatica</u> Fragrant Sumac | D | 3' to 6' | 6' to 10' | Spreading | X | X | Dense | | X | | | | | | | | | | | | | | | | Size can vary; develops into a low, spreading mound; good plant for difficult sites. |
| <u>Ribes alpinum</u> Alpine Currant | D | 3' to 6' | 6' to 9' | Rounded | X | | Dense | | X | | | | | | | | | | | | | | | | Responds well to pruning and makes an excellent hedge; tolerant to adverse conditions. |

F/LS LOW SHRUBS (1-1/2 to 4 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | | COMMENTS |
|--|-----------------------|----------------|----------------|---------------------------|----------------|-----------------------------|---------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Abelia x grandiflora</u> Glossy Abelia | D | 3' to 5' | 3' to 5' | Rounded to Wide-Spreading | X | X | Dense | | X | | | | | | Often killed back in severe winters unless protected; handsome pink flower display; blends well with broadleaf evergreens; limited hardiness. |
| <u>Abeliophyllum distichum</u> Korean Abelialeaf | D | 3' to 5' | 3' to 4' | Rounded to Wide-Spreading | X | X | Inter-mediate | | X | | | | | | Excellent early spring flower display; requires winter protection. |
| <u>Berberis thunbergii</u> Japanese Barberry 'Crimson Pgmy' | D | 3' to 5' | 4' to 7' | Rounded | X | X | Very Dense | | X | | | | | | Good hedge or barrier; numerous sharp, spiny thorns; 'Crimson Pygmy' seldom gets above 2-1/2' in height; very adaptable. |
| <u>Berberis verruculosa</u> Warty Barberry | D | 3' to 5' | 3' to 6' | Rounded to Wide-Spreading | X | X | Dense | | X | | | | | X | Excellent low barrier or screen; lustrous, dark green foliage; possible winter damage if not protected. |
| <u>Buxus microphylla</u> Littleleaf Boxwood 'Compacta' var. koreana 'Tide Hill' 'Wintergreen' | E | 3' to 4' | 3' to 4' | Rounded | X | | Very Dense | | X | | | | | | Handsome, compact evergreen; protect from drying winds and very low temperatures; excellent hedge or screening. |
| <u>Ceanothus americanus</u> New Jersey Tea | D | 3' to 4' | 3' to 5' | Rounded | | | | | | | | | | X | |
| <u>Cotoneaster horizontalis</u> Rock Cotoneaster | D | 2' to 3' | 5' to 8' | Wide-Spreading | X | X | Dense | | | | | X | | | Flat and wide-spreading; excellent ground cover for a large area. |
| <u>Deutzia gracilis</u> Slender Deutzia | D | 2' to 4' | 3' to 4' | Rounded | X | X | Inter-mediate | | X | | | | | | Very adaptable; best of the Deutzias; good flower display; use as a low hedge or screen. |

F/LS LOW SHRUBS (1-1/2 to 4 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | | COMMENTS |
|--|-----------------------|------------------------|-----------------|------------------------------|----------------|-----------------------------|---------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| <u>Fothergilla gardenii</u> Dwarf Fothergilla | D | 2' to 4' | 3' to 4' | Rounded | | X | Inter-Mediate | | X | | | | | | Requires moist, acid soils; handsome flowers and foliage; possible for a variety of uses. |
| <u>Hypericum frondosum</u> Golden St. Johnswort | D | 3' to 4' | 3' to 4' | Upright | | X | Inter-mediate | | X | | | | X | X | Excellent for filter strip along stream. |
| <u>Hypericum prolificum</u> Shrubby St. Johnswort | D | 2' to 4' | 2' to 4' | Rounded | X | X | Dense | | X | | | | | X | Tolerates a variety of adverse conditions; attractive bright yellow flowers add color in summer. |
| <u>Ilex crenata</u> Japanese Holly 'Glory' 'Green Luster' 'Helleri' 'Hetzi' | E | 2' to 4' | 2' to 4' | Rounded to Spreading | | X | Dense | | X | | | X | | | Straight species is too large for this size group, numerous outstanding evergreen cultivars; possible need for winter protection depending on cultivar; excellent for a variety of uses. |
| <u>Juniperus chinensis</u> var. <u>sargentii</u> Sargents Chinese-Juniper | E | 1-1/2' to 2-1/2' | 7' to 9' | Wide-Spreading | X | X | Very Dense | | | | | X | | | One of the most adaptable junipers; salt-tolerant and blight resistant; excellent evergreen ground cover. |
| <u>Juniperus horizontalis</u> Creeping Juniper 'Plumosa' 'Plumosa Compacta' 'Youngstown' | E | 2' to 2-1/2' | 6' to 10' | Wide-Spreading | X | X | Very Dense | | | | | X | | | Compact evergreen form; one of most popular junipers. |
| <u>Picea abies</u> Norway Spruce 'Nidiformis' | E | 3' to 5' | 4' to 5' | Rounded to Wide-Spreading | | | Very Dense | | X | | | | | | Straight species is too large for this size group; handsome birds nest shaped evergreen. |

F/LS LOW SHRUBS (1-1/2 to 4 Feet in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | | COMMENTS |
|---|-----------------------|----------------|----------------|----------------------------------|----------------|-----------------------------|-------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------------------|----------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | TREE PROTECTION ORDINANCE | GREENSPACE USE | |
| * <u>Potentilla fruticosa</u> Bush Cinquefoil 'Farreri' 'Moonlight' | D | 1' to 4' | 2' to 4' | Rounded | X | X | Inter- mediate | | X | | | | | | Graceful, refined appearance; requires pruning every 2 to 3 years to keep from becoming straggly; handsome low shrub. |
| <u>Prunus laurocerasus</u> Common Laurelcherry 'Otto Luyken' 'Rotundifolia' 'Zabeliana' | E | 3' to 6' | 3' to 6' | Rounded to Wide- Spreading | | | Dense | | X | | | | | | Broadleaf evergreen shrub; possible winter damage; handsome when used as a hedge; withstands pruning well. |
| <u>Spiraea x bumalda</u> Bumalda Spirea 'Anthony Watereri' | D | 2' to 3' | 3' to 5' | Rounded to Wide- Spreading | X | | Dense | | X | | | | | | Often used as a facer plant for tall, leggy screens; tolerates all but wet soils. |
| <u>Taxus baccata</u> English Yew 'Repandens' | E | 2' to 4' | 3' to 5' | Rounded to Wide- Spreading | X | X | Very Dense | | X | | | | | | Straight species exhibits frequent winter damage; 'Repandens' is a dwarf cultivar and is hardy. |

G/GC-GROUND COVER (Below 1-1/2 Fee in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | |
|---|-----------------------|------------------|----------------|--------------------|----------------|-----------------------------|-------------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------|--|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | GRENSPACE USE | |
| SCIENTIFIC NAME Common Name 'Cultivar' | | | | | | | | | | | | | | COMMENTS |
| <u>Ajuga genevensis</u> Geneva Bugle | E | 4" to 12" | Var- iable | Wide- Spreading | X | X | Dense | X | X | X | X | X | | Tolerates sun or shade; evergreen; easily crushed if walked on. |
| <u>Ajuga reptans</u> Carpet Bugle | E | 4" to 12" | Var- iable | Wide- Spreading | X | X | Dense | | | | X | X | | Very adaptable; numerous outstanding cultivars; excellent evergreen ground cover. |
| <u>Anisostichus capreolata</u> Crossvine | E | Var. | Var. | Climbing Vine | X | X | Inter- mediate | | | | X | X | | |
| <u>Arctostaphylos uva-ursi</u> Bearberry | D | 6" to 12" | 2' to 4' | Wide- Spreading | X | X | Dense | | | | X | X | | Thick, broad, evergreen mat; does best in poor sandy soils; excellent ground cover for adverse situations. |
| <u>Calluna vulgaris</u> Scotch Heather | D | 4" to 24" | 2' to 3' | Wide- Spreading | | X | Dense | | | | X | X | | Requires rich, acid soil; very exacting cultural requirements; only lower growing cultivars are acceptable for use in sight triangle; one of most beautiful ground covers. |
| <u>Campsis radicans</u> Trumpet creeper | D | Var. | Var. | Climbing Vine | X | X | Dense | | | | | | X | Has a tendency to take over an area. |
| <u>Celastrus scandens</u> American Bittersweet | D | Var. | Var. | Twining Vine | X | X | Inter- mediate | | | | | | X | |
| <u>Clematis virginiana</u> Virginsbower | D | Var. | Var. | Climbing Vine | X | X | Inter- mediate | | | | X | X | | |
| <u>Cornilla varia</u> Scotch Heather | D | 18" to 24" | Var. | Wide- Spreading | X | X | Dense | | | | | X | | Excellent for steep, sunny slopes; spreads rapidly; deciduous and becomes unsightly in winter. |
| <u>Cotoneaster adpressa</u> Creeping Cotoneaster 'Praecox' | D | 12" to 18" | 4' to 6' | Wide- Spreading | X | X | Inter- mediate | | | X | X | X | | Handsome horizontal branching; roots where branches touch the soil. |
| <u>Cotoneaster dammeri</u> Bearberry cotoneaster 'Skogholm' | D | 12" to 18" | 6' to 8' | Wide- Spreading | X | | Inter- mediate | | | | X | X | | Branches creep along the ground; vigorous and fast growing; excellent ground cover. |

G/GC-GROUND COVER (Below 1-1/2 Fee in Height)
ACCEPTABLE PLANT MATERIALS

| | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | |
|---|-----------------------|------------|------------|---------------------------|----------------|--------------------------------|---------------|------------------------------------|---|---------------------------|----------------|--------------|---------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | GRENSPACE USE | COMMENTS |
| <u>Erica carnea</u> Spring Heath | D | 6" to 18" | 2' to 3' | Wide-Spreading | X | | Dense | | | | X | X | | Seldom grows over 12" tall; fine textured evergreen ground cover; similar to C. vulgaris. |
| <u>Euonymus fortune</u> Wintercreeper Euonymus var. coloratus 'Emerald Gaiety' 'Emerald and Gold' | D | 4" to 6' | Var. | Wide-Spreading Vine | X | | Inter-mediate | | | | X | X | | Handsome evergreen ground cover or climbing vine; tolerates all but wet conditions; numerous outstanding cultivars. |
| <u>Forsythia viridissima</u> Bronze Forsythia 'Bronxensis' | D | 12" to 18" | 2' to 3' | Rounded to Wide-Spreading | X | X | Inter-mediate | | | | X | X | | Straight species is too large for use; 'Bronxensis' is a dwarf cultivar; excellent foilage and early spring flowers. |
| <u>Gaylussacia brachycera</u> Box Huckleberry | E | 6" to 18" | Indef. | Dwarf Wide-Spreading | X | X | Dense | | | | X | X | | Requires acid, well-drained soil; full sun to partial shade. |
| <u>Hedera Helix</u> English Ivy | E | 6" to 8" | Var. | Wide-Spreading Vine | X | X | Inter-mediate | | | | X | X | | Can be an evergreen vine or ground cover; tolerates heavy shade; excellent plant for a variety of uses. |
| <u>Hypericum calycinum</u> St. Johnswort | D | 12" to 18" | 18" to 24" | Rounded to Wide-Spreading | X | X | Inter-mediate | | | | X | X | X | Experiences frequent winter damage; semi-evergreen depending on the weather. |
| <u>Juniperus conferta</u> Shore Juniper 'Blue Pacific' 'Emerald Sea' | E | 12" to 18" | 6' to 9' | Wide-Spreading | X | X | Very Dense | | | | X | X | | Possible winter damage; very adaptable; one of the most handsome juniper ground covers. |
| <u>Juniperus horizontalis</u> Creeping Juniper 'Bar Harbor' 'Blue Chip' 'Blue Mat' 'Douglasi' 'Procumbens' 'Wiltoni' | E | 12" to 24" | 4' to 8' | Wide-Spreading | X | X | Very Dense | | | | X | X | | Only lowest cultivars are acceptable for use in sight triangle; very adaptable; excellent for any dry, sunny area; numerous outstanding cultivars. |

G/GC-GROUND COVER (Below 1-1/2 Fee in Height)
ACCEPTABLE PLANT MATERIALS

| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT CHARACTERISTICS | | | | | | | PLANT USES | | | | | | COMMENTS |
|---|-----------------------|------------------|--------------------|---------------------------|----------------|-----------------------------|---------------|------------------------------|-----------------------------------|------------------------|----------------|--------------|---------------|---|
| | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | GRENSPACE USE | |
| <u>Juniperus sabina</u> Savin Juniper 'Arcadia' 'Broadmoor' var. tamariscifolia | E | 12" to 18" | 3' to 5' | Wide-Spreading | X | X | Very Dense | | | | X | X | | Straight species is of little value, but numerous outstanding cultivars; withstands adverse conditions. |
| <u>Liriope muscari</u> Liriope | E | 12" to 18" | Var. | Wide-Spreading | X | X | Inter-mediate | | | | X | X | | Tolerates almost any type of adverse condition; attractive, fine-textured grass-like appearance. |
| <u>Lonicera sempervirens</u> Trumpet Honeysuckle | D | Var. | Var. | Twining Vine | X | X | Inter-mediate | | | | X | X | | |
| <u>Pachistima canbyi</u> Pachistima (Mountain Lover) | E | 4" to 12" | Var. | Wide-Spreading | X | X | Inter-mediate | | | | X | X | X | |
| <u>Pachysandra terminalis</u> Japanese Spurge | E | 0" to 10" | Var. | Wide-Spreading | X | X | Inter-mediate | | | | X | X | | |
| <u>Parthenocissus tricuspidata</u> Boston Ivy | E | 4" to 6" | 2.5' to 3.5' | Wide-Spreading Vine | X | X | Inter-mediate | | | | X | X | | Fast growing evergreen vine; likes partial shade and will cling to wall and fences. |
| <u>Rosa wichuriana</u> Memorial Rose | D | 12" to | Var. to | Wide-Spreading | X | X | Inter-mediate | | | | X | X | | Semi-evergreen ground cover or vine; excellent for preventing soil erosion. |
| <u>Spiraea japonica var. alpine</u> | D | 8" to 12" | 2' to 3' | Rounded to Wide-Spreading | X | | Inter-mediate | | | | X | X | | Very fast growing delicate, fine-textured plant; handsome pink flowers. |
| <u>Thymus serpyllus</u> Mother-of-thyme | D | 1" to 3" | Var. | Wide-Spreading | X | X | Inter-mediate | | | | X | X | | Often dies back in winter and is used as a perennial. |
| <u>Vinca minor</u> Periwinkle | D | 3" to 6" | Var. | Wide-Spreading | X | | Inter-mediate | | | | X | X | | Excellent evergreen ground cover; handsome lilac blue flowers. |

G/GC-GROUND COVER (Below 1-1/2 Fee in Height)
ACCEPTABLE PLANT MATERIALS

| PLANT CHARACTERISTICS | | | | | | | | P L A N T U S E S | | | | | | COMMENTS |
|---|------------|------------------|--------|--------------------|----------------|--------------------------------|-------------------|------------------------------------|---|---------------------------|----------------|--------------|---------------|--|
| SCIENTIFIC NAME Common Name 'Cultivar' | PLANT TYPE | HEIGHT | SPREAD | FORM | URBAN TOLERANT | DISEASE AND INSECT TOLERANT | DENSITY | PERIMETER PROPERTY SCREENING | VEHICULAR USE PERIMETER SCREENING | SERVICE AREA SCREENING | SIGHT TRIANGLE | GROUND COVER | GRENSPACE USE | |
| <u>Wisteria floribunda</u> Japanese Wisteria | D | Var. | Var. | | X | X | Inter- mediate | | | | X | X | | Needs ample support |
| <u>Wisteria frutescens</u> American Wisteria | D | Var. | Var. | | X | X | Inter- mediate | | | | X | X | | |
| <u>Xanthorhiza simplicissima</u> Yellowroot | D | 12" to 24" | Var. | Wide- Spreading | | X | Inter- mediate | | | | | X | | Suckers freely from roots; good ground cover for moist areas. |

HERBACEOUS COVER

RED – PINK FLOWERING SPECIES

| SCIENTIFIC NAME Common Name | HEIGHT | BLOOM TIME | SUN | COLOR |
|--|---------|--------------------|-----------------|--------------------------------|
| <u>Aquilegia canadensis</u> Wild Columbine | 1'-3' | May | Full or Partial | Red - Yellow |
| <u>Cosmos bipinnata</u> Pink Cosmos | 2'-3' | June – October | Full | |
| <u>Echinacea purpurea</u> Purple Coneflower | 3'-4' | July | Full | Pinkish-Purple, Rust Center |
| <u>Eupatorium fistulosum</u> Joe-Pye Weed | 5'-10' | August – September | Full | Purple - Pink |
| <u>Geranium maculatum</u> Crane's Bill Geranium | 2' | April – May | Full | Rose – Purple |
| <u>Lavatera trimestris</u> Rose Mallow | 3' | June – July | Full | Pink |
| <u>Liatris pycnostachya</u> Prairie Blazing Star | 2'-3' | July | Full | Deep Pink |
| <u>Liatris squarrosa</u> Blazing Star | 1'-2' | July – August | Full | Purple - Pink |
| <u>Lobelia cardinalis</u> Cardinal Flower | 3' | August | Partial | Brilliant Red |
| <u>Lupinus perennis</u> Lupine | 2' | | | * |
| <u>Paeonia</u> Peony | 2' | May | Full or Partial | Pink – White - Rose |
| <u>Penstemon brevisepalu</u> Short Sepal Beard – Tongue | 15"-30" | May – June | Partial | Pale Pink-Purple |
| <u>Phlox maculata</u> Meadow Phlox | 20"-30" | July | Full or Partial | Reddish - Purple |
| <u>Phlox Paniculata</u> Fall Phlox | 3'-4' | July | Full or Partial | Bright Pink |
| <u>Phlox pilosa</u> Prairie Phlox | 1'-2' | April – May | Full | Pink – Purple |
| <u>Phlox subulata</u> Creeping Phlox | 6"-8" | April – May | Full or Partial | Pink – White - Mauve |
| <u>Physostegia virginiana</u> Obedient Plant | 1'-3' | August – September | Full or Partial | Pink-Violet |

HERBACEOUS COVER

RED – PINK FLOWERING SPECIES

| SCIENTIFIC NAME Common Name | HEIGHT | BLOOM TIME | SUN | COLOR |
|--|-----------|--------------------|-----------------|------------------|
| <u>Rosa carolina</u> Pasture Rose | 1'-3' | June | Full or Partial | Pink, Yellow Eye |
| <u>Sabatia angularis</u> Rose Gentian | 2' | June – July | Partial | Rose – Pink |
| <u>Saponaria officinalis</u> Bounding Bet | 1' - 2' | June – September | Full | Pink, White |
| <u>Silene caroliniana</u> Wild Pink | 10" – 12" | May | Full or Partial | Bright Pink |
| <u>Veronia altissima</u> Ironweed | 4' – 7' | August – September | Full | Deep Purple Red |

HERBACEOUS COVER

BLUE-PURPLE SPECIES

| SCIENTIFIC NAME Common Name | HEIGHT | BLOOM TIME | SUN | COLOR |
|--|---------|--------------------|-----------------|----------------------------|
| <u>Aster novae-angliae</u> New England Aster | 2'-6' | October | Full | Purple |
| <u>Aster shortii</u> Short's Aster | 2'-4' | September | Partial | Violet-Blue |
| <u>Camassia scilloides</u> Wild Hyacinth | 1'-2' | May | Partial | Pale Blue |
| <u>Campanula americana</u> Tall Bellflower | 2'-6' | July | Partial | Blue |
| <u>Campanula latifolia</u> Giant Bellflower | 3' | July | Partial | Blue |
| <u>Centaurea cyanus</u> Cornflower | 2'-3' | June – July | Sun | Blue |
| <u>Cichorium intybus</u> Chicory | 1'-3' | June – September | Sun | Bright Blue |
| <u>Eupatorium coelestinum</u> Mistflower | 1'-3' | August – October | Partial | Blue-Violet |
| <u>Hesperis matronalis</u> Sweet Pocket | 1'-3' | May | Full or Partial | Purple, Lilac, Pink, White |
| <u>Liatris spicata</u> Spiked Gayfeather | 3'-6' | August – September | Full or Partial | Lavender |
| <u>Lobelia siphilitica</u> Great Blue Lobelia | 2'-3' | August – September | Partial | Blue |
| <u>Mertensia virginica</u> Virginia Bluebells | 2' | April | Partial | Blue |
| <u>Monarda fistulosa</u> Bee-Balm | 2' | July – August | Full | Lilac |
| <u>Phacelia bipinnatifida</u> Purple Phacelia | 1'-2' | April – May | Partial | Purple, Blue-Violet |
| <u>Phlox divaricata</u> Blue Phlox | 1'-2' | April – May | | Blue |
| <u>Polemonium reptans</u> Jacob's Ladder | 10"-15" | April | Partial | Blue, Blue-Violet |
| <u>Salvia azurea</u> Blue Sage | 1' | July – September | Full | Blue |
| <u>Tradescantia subaspera</u> Zigzag Spiderwort | 2'-4' | June | Partial | Purple |
| <u>Tradescantia virginiana</u> Early Spiderwort | 6"-12' | June | Partial | Purple to Rose |

APPENDIX C

UNACCEPTABLE PLANT MATERIALS

* This list is created solely for use with the Article 18 of the Zoning Ordinance and 6-9 of the Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property as well as Article 26 compliance. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| A/LT LARGE TREES (Over 50 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------------|---|---|--|
| PLANT GROUP/SIZE A/LT | ACCEPTABLE PLANT No | SCIENTIFIC NAME Acer saccharinum | COMMON NAME 'CULTIVAR' Silver Maple | COMMENTS The use of this tree should be tempered because of its extensive shallow root system that will cause drain tiles to clog and sidewalks to buckle. The tree is also weak wooded which causes it to becomes a liability with age, often becomes too large for a street tree. |
| A/LT | No | Aesculus hippocastanum | Horse Chestnut | These trees are all very messy, which is caused by the large fruit and low rate of leaf drop. None of these trees are hardy in a restricted area and therefore they should not be used in an urban area. |
| A/LT | No | Betula papyrifera | Paper Birch | Susceptible to Bronze Birch Borer. Life expectancy in a site with some stress (i.e. street tree) is short in an urban area. |
| A/LT | No | Betula pendula | European White Birch | This tree is very popular, unfortunately the leaf miner and bronze Birch Borer are serious pests. Since most property owners will not take the necessary precautions it is advisable not to use this plant to meet any landscaping requirements. This tree is also intolerant of urban stress, short lived with low branching pattern. |
| A/LT | No | Castanea dentata Castanea mollissima | American Chestnut Chinese Chestnut | These trees are not useful for urban use because of their fruit that is a prickly involucre approximately 2-3" in diameter. The American Chestnut is also very susceptible to diseases. Flowers have an unpleasant odor. The tree is also intolerant of compacted soil. |
| A/LT | No | Ginkgo biloba (female) | Ginkgo | The female of this species is unacceptable anywhere because of its fruit. The fleshy seed is extremely messy and malodorous. |
| A/LT | No | Gleditsia triacanthos | Common Honey Locust | This tree is too thorny for use in the urban environment and especially to meet the ordinance requirements. |
| A/LT | No | Kalopanax pictus | Castor Aralia | A good shade tree but excessive thorns make this tree unacceptable. |

* This list is created solely for use with the Article 18 of the Zoning Ordinance and 6-9 of the Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property as well as Article 26 compliance. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| A/LT LARGE TREES (Over 50 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------|--|---|---|
| PLANT GROUP/SIZE | ACCEPTABLE PLANT | SCIENTIFIC NAME | COMMON NAME 'CULTIVAR' | COMMENTS |
| A/LT | No | Morus alba | Common Mulberry | The mulberries are unsuitable because of the fruit that they produce, which is flesh and extremely messy. |
| A/LT | No | Morus rubra | Red Mulberry | |
| A/LT | No | Pinus nigra | Austrian Pine | Highly susceptible to Diplodia tip blight. |
| A/LT | No | Populus (all) | Poplars (all) 'White Poplar' 'Easton Lombards' 'Quaking Aspen' | All poplars are unacceptable because they are disease prone, weak wooded and their roots will clog drain tiles, and storm and sanitary sewer lines. |
| A/LT | No | Quercus palustris | Pin Oak | Highly susceptible to Bacterial leaf scorch. |
| A/LT | No | Ulmus americana Ulmus carpiniflora Ulmus fulva Ulmus pumila | American Elm Smoothleaf Elm Red Elm Siberian Elm | The elms in general are disease prone, weak-wooded and messy requiring too much maintenance to warrant their use. Disease resistant cultivars of <u>Ulmus americana</u> will be acceptable. |

* This list is created solely for use with Article 18 of the Zoning Ordinance and 6-9 of the Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property and Article 26 compliance. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| B/MT MEDIUM TREES (10 to 50 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------------|--|---------------------------------------|---|
| PLANT GROUP/SIZE B/MT | ACCEPTABLE PLANT No | SCIENTIFIC NAME Albizia julibrissin | COMMON NAME 'CULTIVAR' Mimosa Tree | COMMENTS The mimosa is not hardy in this area. This tree is weak wooded, and messy with seed pods littering the ground. It is not very disease and insect intolerant. |
| B/MT | No | Catalpa bignonioides | Southern Catalpa | Because of its weak wood and its fruit, this tree is too messy to warrant its use. |
| B/MT | No | Malus pumila | Common Apple | This tree is weedy and its fruit is too large to warrant the use of this tree to meet ordinance requirements. Some varieties are susceptible to disease. |
| B/MT | No | Pyrus calleryana | Callery Pear 'Bradford' | While this cultivar is in common use in both private and public landscaping it exhibits problems with branch separation from the main trunk. |
| B/MT | No | Pyrus communis | Common Pear | This tree is extremely susceptible to fireblight and its large fruit makes this tree unsuitable for urban use. |
| B/MT | No | Salix babylonica | Weeping Willow | Messy (always dropping small branches), weak wooded, susceptible to canker (disease), taps sewer and water lines. |
| B/MT | No | Sorbus (species) | Mountain Ash (species) | These trees are susceptible to a host of diseases and pests that should temper its use. Not recommended as a street tree because it is not urban tolerant and it has 1/4" fleshy seed pods. Best used in open lawn areas for private use. |

* This list is created solely for use with Article 18 of the Zoning Ordinance and 6-9 of the Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property and Article 26 compliance. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| C/LST LARGE SHRUB OR SMALL TREE (10 To 25 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------|------------------------|--|---|
| PLANT GROUP/SIZE | ACCEPTABLE PLANT | SCIENTIFIC NAME | COMMON NAME 'CULTIVAR' | COMMENTS |
| C/LST | No | Aralia spinosa | Devil's Walking Stick Hercules Club | Vigorous spreader which can be a maintenance problem. |
| C/LST | No | Eleagnus angustifolia | Russian Olive | Short lived (8 to 15 years) |
| C/LST | No | Euonymus kiautschovica | Spreading Euonymus | Susceptible to severe winter damage or death in 10% to 20% of the winters in Lexington. Flowers attract insects. |
| C/LST | No | Hibiscus syriacus | Rose of Sharon | With age, this shrub loses its form and becomes somewhat scraggly. Therefore it is unacceptable to meet long term landscaping needs. |
| C/LST | No | Kolkwitzia amabilis | Beautybush | This shrub is unsightly when it isn't flowering and it becomes weedy unless it is maintained properly. |
| C/LST | No | Laburnum x watereri | Golden Chair Tree | Flowers (main reason for growing plant) are killed most winters in Lexington. Seeds are also poisonous. |
| C/LST | No | Lagerstroemia indica | Crepe Myrtle | This plant is not hardy to this area and any of these plants which manage to survive Lexington winters become very leggy. |
| C/LST | No | Ligustrum (all) | Privets (all) | Privets require a lot of maintenance in order to form a suitable hedge. If a high degree of maintenance is not provided these shrubs become leggy, and subsequently they do meet the required opacity of the landscape ordinance. Also susceptible to severe winter damage. |
| C/LST | No | Lonicera tatarica | Tatarian Honeysuckle | Very weedy, seed is spread by birds. |

* This list is created solely for use with Article 18 of the Zoning Ordinance and 6-9 of the Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property and Article 26 compliance. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| C/LST LARGE SHRUB OR SMALL TREE (10 To 25 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------|---|---|--|
| PLANT GROUP/SIZE | ACCEPTABLE PLANT | SCIENTIFIC NAME | COMMON NAME 'CULTIVAR' | COMMENTS |
| C/LST | No | Malus (selected) | Crabapples (selected) 'Almey' 'Coroaria' 'Dorothea' 'Eley' 'Hopa' 'loensis' 'Oekonomierat Echtermeyer' 'Radiant' 'Red Silver' 'Sylvestris' | Many of the crabapples are susceptible to disease and insects. |
| C/LST | No | Prunus cerasifera (Straight species) Prunus persica | Cherry Plum (Straight Species) Peach | Both of these trees experience serious disease problems and are pollution sensitive. |
| C/LST | No | Rhamnus catharica | Common Buckthorn | Die back on compacted, water logged, or heavy soils. Susceptible to winter die back. |
| C/LST | No | Rhamnus frangula | Glossy Buckthorn | This shrub experiences serious disease problems and tends to become weedy because birds drop seeds. It also has problems surviving in areas with heavy traffic because of soil compaction. |
| C/LST | No | Staphylea trifolia | American Bladdernut | This shrub suckers extensively. Unless it is maintained properly it tends to become very weedy. |
| C/LST | No | Vitex agnus-castus | Chastetree | The Chastree is not hardy in the Central Kentucky area. |

* This list is created solely for use with the Zoning Ordinance and Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| D/MS MEDIUM SHRUBS (6 to 10 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|---|------------------------|-------------------------|---------------------------|--|
| PLANT GROUP/SIZE D/MS | ACCEPTABLE PLANT No | SCIENTIFIC NAME | COMMON NAME 'CULTIVAR' | COMMENTS |
| | | Ilex cornuta | Chinese Holly | Susceptible to severe winter damage or death in 20% to 30% of the winters in Lexington. Shoots that come back from the roots have leaves with 5 spines instead of the more attractive leaves with a single spine at the top. |
| D/MS | No | Philadelphus coronarius | Sweet Mocorange | Like other Philadelphus this shrub becomes leggy. |
| D/MS | No | Photinia villosa | Oriental Photinia | Although this is an excellent specimen plant, its problems with disease limits its use to meet landscaping requirements unless it is maintained properly. |
| D/MS | No | Prunus glandulosa | Dwarf Flowering Almond | This shrub becomes leggy with age and it is straggly and open in the winter. |
| D/MS | No | Pyracantha coccinea | Scarlet Firethorn | Fruit is very susceptible to scab (disease). Superior types of pyracanthe are available. |
| D/MS | No | Spiraea prunifolia | Bridalwreath Spirea | Spireas are straggly in general and this particular species tends to be leggy. |
| D/MS | No | Weigela florida | Weigela | Weigelas are not hardy to this area and they generally have large amounts of die back during winter months. |

* This list is created solely for use with the Zoning Ordinance and Subdivision Regulations. Plants on this list may be very appropriate for some uses on private property. But due to individual plant characteristics they are unacceptable to meet any of the Ordinance requirements. See page 1-3 for other comments on Unacceptable Plant Materials.

| E/SS SMALL SHRUBS (4 to 6 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|--|-------------------------|------------------------|-------------------------------|--|
| PLANT GROUP/SIZE | ACCEPTABLE PLANT | SCIENTIFIC NAME | COMMON NAME 'CULTIVAR' | COMMENTS |
| E/SS | No | Rosa multiflora | Japanese Rose | This shrub becomes leggy after harsh winters and in general is very weedy and must have high maintenance to be kept under control. |

| F/LS LOW SHRUBS (1-1/2 to 4 Feet in Height) | | | | UNACCEPTABLE PLANT MATERIALS |
|--|----|--------------------------|------------------|---|
| F/LS | No | Symphoricarpos rivularis | Common Snowberry | The snowberry suckers profusely and as a consequence becomes a very weedy shrub. It is not suitable as a hedge in an urban situation. |